

Publications List

Primary Author

- [1] E. Valencia et al. “Constraint of the MINERvA Medium Energy Neutrino Flux using Neutrino-Electron Elastic Scattering”. In: *Accepted by Phys.Rev.D* (2019). arXiv: 1906.00111.
- [2] C. E. Patrick et al. “Measurement of the Muon Antineutrino Double-Differential Cross Section for Quasielastic-like Scattering on Hydrocarbon at $E_\nu \sim 3.5\text{GeV}$ ”. In: *Phys. Rev. D* 97.5 (2018), p. 052002. arXiv: 1801.01197.
- [3] L. Aliaga et al. “Neutrino Flux Predictions for the NuMI Beam”. In: *Phys. Rev. D* 94.9 (2016), p. 092005. arXiv: 1607.00704.
- [4] T. Alion et al. “Experiment Simulation Configurations Used in DUNE CDR”. In: (2016). arXiv: 1606.09550.
- [5] J. Devan et al. “Measurements of the Inclusive Neutrino and Antineutrino Charged Current Cross Sections in MINERvA Using the Low- ν Flux Method”. In: *Phys. Rev. D* 94.11 (2016), p. 112007. arXiv: 1610.04746.
- [6] J. Park et al. “Measurement of Neutrino Flux from Neutrino-Electron Elastic Scattering”. In: *Phys. Rev. D* 93.11 (2016), p. 112007. arXiv: 1512.07699.
- [7] R. Acciarri et al. “Long-Baseline Neutrino Facility (LBNF) and Deep Underground Neutrino Experiment (DUNE) Conceptual Design Report”. In: (2015). arXiv: 1512.06148.
- [8] L. Fields et al. “Measurement of Muon Antineutrino Quasi-Elastic Scattering on a Hydrocarbon Target at $E_\nu \sim 3.5\text{ GeV}$ ”. In: *Phys.Rev.Lett.* 111 (2013), p. 022501. arXiv: 1305.2234.
- [9] G.A. Fiorentini et al. “Measurement of Muon Neutrino Quasi-Elastic Scattering on a Hydrocarbon Target at $E_\nu \sim 3.5\text{ GeV}$ ”. In: *Phys.Rev.Lett.* 111 (2013), p. 022502. arXiv: 1305.2243.
- [10] D. Besson et al. “Improved measurements of D meson semileptonic decays to π and K mesons”. In: *Phys.Rev. D* 80 (2009), p. 032005. arXiv: 0906.2983.

Oversight as Co-Spokesperson or Analysis Coordinator

- [11] T. Cai et al. “Nuclear binding energy and transverse momentum imbalance in neutrino-nucleus reaction”. In: *Submitted to Phys.Rev.D* (2019). arXiv: 1910.08658.
- [12] M. Elkins et al. “Neutron measurements from antineutrino hydrocarbon reactions”. In: *Phys. Rev. D* 100.5 (2019), p. 052002. arXiv: 1901.04892.
- [13] T. Le et al. “Measurement of $\bar{\nu}_\mu$ Charged-Current Single π^- Production on Hydrocarbon in the Few-GeV Region using MINERvA”. In: *Phys. Rev. D* 100.5 (2019), p. 052008. arXiv: 1906.08300.
- [14] D. Ruterbories et al. “Measurement of Quasielastic-Like Neutrino Scattering at $E_\nu \sim 3.5\text{ GeV}$ on a Hydrocarbon Target”. In: *Phys. Rev. D* 99.1 (2019), p. 012004. arXiv: 1811.02774.
- [15] P. Stowell et al. “Tuning the GENIE Pion Production Model with MINERvA Data”. In: *Phys. Rev. D* 100.7 (2019), p. 072005. arXiv: 1903.01558.
- [16] R. Gran et al. “Antineutrino Charged-Current Reactions on Hydrocarbon with Low Momentum Transfer”. In: *Phys. Rev. Lett.* 120.22 (2018), p. 221805. arXiv: 1803.09377.
- [17] X. G. Lu et al. “Measurement of final-state correlations in neutrino muon-proton mesonless production on hydrocarbon at $E_\nu = 3\text{ GeV}$ ”. In: *Phys. Rev. Lett.* 121.2 (2018), p. 022504. arXiv: 1805.05486.

- [18] A. Mislivec et al. “Measurement of total and differential cross sections of neutrino and antineutrino coherent π^\pm production on carbon”. In: *Phys. Rev. D* 97.3 (2018), p. 032014. arXiv: 1711.01178.
- [19] G. N. Perdue et al. “Reducing model bias in a deep learning classifier using domain adversarial neural networks in the MINERvA experiment”. In: *JINST* 13.11 (2018), P11020. arXiv: 1808.08332.
- [20] O. Altinok et al. “Measurement of ν_μ charged-current single π^0 production on hydrocarbon in the few-GeV region using MINERvA”. In: *Phys. Rev. D* 96.7 (2017), p. 072003. arXiv: 1708.03723.
- [21] M. Betancourt et al. “Direct Measurement of Nuclear Dependence of Charged Current Quasielasticlike Neutrino Interactions Using MINERvA”. In: *Phys. Rev. Lett.* 119.8 (2017), p. 082001. arXiv: 1705.03791.
- [22] C. M. Marshall et al. “Measurement of neutral-current K^+ production by neutrinos using MINERvA”. In: *Phys. Rev. Lett.* 119.1 (2017), p. 011802. arXiv: 1611.02224.
- [23] L. Ren et al. “Measurement of the antineutrino to neutrino charged-current interaction cross section ratio in MINERvA”. In: *Phys. Rev. D* 95.7 (2017), p. 072009. arXiv: 1701.04857.
- [24] J. Mousseau et al. “Measurement of Partonic Nuclear Effects in Deep-Inelastic Neutrino Scattering using MINERvA”. In: *Phys. Rev. D* 93.7 (2016), p. 071101. arXiv: 1601.06313.
- [25] P. A. Rodrigues et al. “Identification of nuclear effects in neutrino-carbon interactions at low three-momentum transfer”. In: *Phys. Rev. Lett.* 116 (2016), p. 071802. arXiv: 1511.05944.
- [26] J. Wolcott et al. “Evidence for Neutral-Current Diffractive Neutral Pion Production from Hydrogen in Neutrino Interactions on Hydrocarbon”. In: *Phys. Rev. Lett.* (2016). arXiv: 1604.01728.
- [27] T. Walton et al. “Measurement of muon plus proton final states in ν_μ interactions on hydrocarbon at $\langle E_\nu \rangle = 4.2$ GeV”. In: *Phys. Rev. D* 91.7 (2015), p. 071301. arXiv: 1409.4497.
- [28] J. Wolcott et al. “Measurement of electron neutrino quasielastic and quasielastic-like scattering on hydrocarbon at $\langle E_\nu \rangle = 3.6$ GeV”. In: *To appear in Phys. Rev. Lett.* (2015). arXiv: 1509.05729.
- [29] B. Eberly et al. “Charged Pion Production in ν_μ Interactions on Hydrocarbon at $\langle E_\nu \rangle = 4.0$ GeV”. In: *Accepted by Phys.Rev. D* (2014). arXiv: 1406.6415.
- [30] A. Higuera et al. “Measurement of Coherent Production of π^\pm in Neutrino and Anti-Neutrino Beams on Carbon from E_ν of 1.5 to 20 GeV”. In: *Phys.Rev.Lett.* 113 (2014), p. 261802. arXiv: 1409.3835.
- [31] B.G. Tice et al. “Measurement of Ratios of ν_μ Charged-Current Cross Sections on C, Fe, and Pb to CH at Neutrino Energies 2-20 GeV”. In: *Phys.Rev.Lett.* (2014). arXiv: 1403.2103.

Conference Proceedings

- [32] Laura Fields et al. “A Toolkit to Study Sensitivity of the Geant4 Predictions to the Variations of the Physics Model Parameters”. In: *J. Phys. Conf. Ser.* 1085.4 (2018), p. 042021.
- [33] L. Fields. “Recent Results from MINERvA”. In: *27th International Conference on Neutrino Physics and Astrophysics (Neutrino 2016) London, United Kingdom, July 4-9, 2016*. 2016. arXiv: 1612.07348. URL: <http://lss.fnal.gov/archive/2016/conf/fermilab-conf-16-393-cd-nd.pdf>.
- [34] L. Fields. “CCQE results from MINERvA”. In: *AIP Conf. Proc.* 1663 (2015), p. 080006.

- [35] Paul L. G. Lebrun et al. “On LBNE Neutrino Flux Systematic Uncertainties”. In: *AIP Conf. Proc.* 1680 (2015), p. 030004.
- [36] L. Fields. “Neutrino Cross Sections”. In: *Proceedings of the 32nd International Conference on Physics In Collision* (2012), pp. 190–198. arXiv: 1212.0060.
- [37] L. Fields. “Charm form factors at Cleo- c ”. In: *Proceedings of the 10th Conference on the Intersections of Particle and Nuclear Physics* (2009), pp. 382–385.
- [38] L. Fields. “ D Semileptonic Decays at CLEO- c ”. In: *Fundamental Interactions: Proceedings of the 22nd Lake Louise Winter Institute* (2007).
- [39] A. Birkedal et al. “Testing cosmology at the ILC”. In: *Proceedings of the 2005 International Linear Collider Workshop* (2005), p. 0708. arXiv: hep-ph/0507214.
- [40] D. Peterson et al. “The Cornell/Purdue TPC”. In: *Proceedings of the 2005 International Linear Collider Workshop* (2005), p. 0831.
- [41] J.T. Urban, L. Fields, and D. Sagan. “Linear accelerator simulations with BMAD”. In: *Proceedings of the 2005 Particle Accelerator Conference (PAC 2005)* Conf.Proc. C0505161 (2005), p. 1937.

Other Publications

- [42] N. Abgrall et al. “Measurements of π^\pm , K^\pm and proton double differential yields from the surface of the T2K replica target for incoming 31 GeV/c protons with the NA61/SHINE spectrometer at the CERN SPS”. In: *Eur. Phys. J.* C79.2 (2019), p. 100. arXiv: 1808.04927.
- [43] A. Aduszkiewicz et al. “Measurement of ϕ Meson Production in p + p Interactions at 40, 80 and 158 GeV/c with the NA61/SHINE Spectrometer at the CERN SPS”. In: (2019). arXiv: 1908.04601.
- [44] A. Aduszkiewicz et al. “Measurements of hadron production in π^+ + C and π^+ + Be interactions at 60 GeV/c”. In: (2019). arXiv: 1909.06294.
- [45] A. Aduszkiewicz et al. “Measurements of production and inelastic cross sections for p + C, p + Be, and p + Al at 60 GeV/c and p + C and p + Be at 120 GeV/c”. In: (2019). arXiv: 1909.03351.
- [46] B. Abi et al. “The DUNE Far Detector Interim Design Report Volume 1: Physics, Technology and Strategies”. In: (2018). arXiv: 1807.10334.
- [47] B. Abi et al. “The DUNE Far Detector Interim Design Report, Volume 2: Single-Phase Module”. In: (2018). arXiv: 1807.10327.
- [48] B. Abi et al. “The DUNE Far Detector Interim Design Report, Volume 3: Dual-Phase Module”. In: (2018). arXiv: 1807.10340.
- [49] A. Aduszkiewicz et al. “Measurements of total production cross sections for π^+ +C, π^+ +Al, K^+ +C, and K^+ +Al at 60 GeV/c and π^+ +C and π^+ +Al at 31 GeV/c”. In: *Phys. Rev.* D98.5 (2018), p. 052001. arXiv: 1805.04546.
- [50] J Apostolakis et al. “HEP Software Foundation Community White Paper Working Group - Detector Simulation”. In: (2018). Ed. by V Elvira and J Harvey. arXiv: 1803.04165.
- [51] M. Rominsky et al. “Fermilab Test Beam Facility Annual Report FY17”. In: (2018).
- [52] B. Abi et al. “The Single-Phase ProtoDUNE Technical Design Report”. In: (2017). arXiv: 1706.07081.
- [53] M. Convery et al. “Accelerator/Experiment Operations - FY 2017”. In: (2017).

- [54] C. M. Marshall et al. “Measurement of K^+ production in charged-current ν_μ interactions”. In: *Phys. Rev. D* 94.1 (2016), p. 012002. arXiv: 1604.03920.
- [55] C. L. McGivern et al. “Cross sections for ν_μ and $\bar{\nu}_\mu$ induced pion production on hydrocarbon in the few-GeV region using MINERvA”. In: *Phys. Rev. D* 94.5 (2016), p. 052005. arXiv: 1606.07127.
- [56] Z. Wang et al. “First evidence of coherent K^+ meson production in neutrino-nucleus scattering”. In: *Phys. Rev. Lett.* 117.6 (2016), p. 061802. arXiv: 1606.08890.
- [57] L. Aliaga et al. “MINERvA neutrino detector response measured with test beam data”. In: *Nucl. Instrum. Meth. A* 789 (2015), pp. 28–42. arXiv: 1501.06431.
- [58] L. Aliaga et al. “Design, Calibration, and Performance of the MINERvA Detector”. In: *Nucl. Instrum. Meth. A* 743 (2014), pp. 130–159. arXiv: 1305.5199.
- [59] L. Fields et al. “LBNE Beam Alignment Tolerances and Systematic Uncertainties”. In: *LBNE DocDB 8410* (2014).
- [60] C. Adams et al. “The Long-Baseline Neutrino Experiment: Exploring Fundamental Symmetries of the Universe”. In: (2013). arXiv: 1307.7335.
- [61] G.N. Perdue et al. “The MINERvA Data Acquisition System and Infrastructure”. In: *Nucl. Instrum. Meth. A* 694 (2012), pp. 179–192. arXiv: 1209.1120.
- [62] D.D. Stancil et al. “Demonstration of Communication using Neutrinos”. In: *Mod.Phys.Lett. A* 27 (2012), p. 1250077. arXiv: 1203.2847.
- [63] N. Tagg et al. “Arachne - A web-based event viewer for MINERvA”. In: *Nucl.Instrum.Meth.* 676 (2012), pp. 44–49. arXiv: 1111.5315.
- [64] D. Besson et al. “ $\Upsilon(1S) \rightarrow \gamma + f'_2(1525)$, $f'_2(1525) \rightarrow K_S^0 K_S^0$ decays”. In: *Phys.Rev.* D83 (2011), p. 037101. arXiv: 1101.0153.
- [65] Vardan Khachatryan et al. “Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9, 2.36,$ and 7 TeV”. In: *JHEP* 1101 (2011), p. 079. arXiv: 1011.5531.
- [66] Vardan Khachatryan et al. “Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 122003. arXiv: 1101.5029.
- [67] Vardan Khachatryan et al. “First Measurement of Hadronic Event Shapes in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys. Lett. B* B699 (2011), pp. 48–67. arXiv: 1102.0068.
- [68] Vardan Khachatryan et al. “First Measurement of the Cross Section for Top-Quark Pair Production in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Lett.* B695 (2011), pp. 424–443. arXiv: 1010.5994.
- [69] Vardan Khachatryan et al. “Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV”. In: *JHEP* 1103 (2011), p. 090. arXiv: 1101.3512.
- [70] Vardan Khachatryan et al. “Measurement of $B\bar{B}$ Angular Correlations based on Secondary Vertex Reconstruction at $\sqrt{s} = 7$ TeV”. In: *JHEP* 1103 (2011), p. 136. arXiv: 1102.3194.
- [71] Vardan Khachatryan et al. “Measurement of Bose-Einstein Correlations in pp Collisions at $\sqrt{s} = 0.9$ and 7 TeV”. In: *JHEP* 1105 (2011), p. 029. arXiv: 1101.3518.
- [72] Vardan Khachatryan et al. “Measurement of Dijet Angular Distributions and Search for Quark Compositeness in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 201804. arXiv: 1102.2020.
- [73] Vardan Khachatryan et al. “Measurement of the B^+ Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 112001. arXiv: 1101.0131.

- [74] Vardan Khachatryan et al. “Measurement of the Inclusive Υ production cross section in pp collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.* D83 (2011), p. 112004. arXiv: 1012.5545.
- [75] Vardan Khachatryan et al. “Measurement of the Isolated Prompt Photon Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 082001. arXiv: 1012.0799.
- [76] Vardan Khachatryan et al. “Measurements of Inclusive W and Z Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *JHEP* 1101 (2011), p. 080. arXiv: 1012.2466.
- [77] Vardan Khachatryan et al. “Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV”. In: *Eur.Phys.J.* C71 (2011), p. 1575. arXiv: 1011.4193.
- [78] Vardan Khachatryan et al. “Search for a heavy gauge boson W' in the final state with an electron and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Lett.* B698 (2011), pp. 21–39. arXiv: 1012.5945.
- [79] Vardan Khachatryan et al. “Search for Heavy Stable Charged Particles in pp collisions at $\sqrt{s} = 7$ TeV”. In: *JHEP* 1103 (2011), p. 024. arXiv: 1101.1645.
- [80] Vardan Khachatryan et al. “Search for Microscopic Black Hole Signatures at the Large Hadron Collider”. In: *Phys.Lett.* B697 (2011), pp. 434–453. arXiv: 1012.3375.
- [81] Vardan Khachatryan et al. “Search for Pair Production of First-Generation Scalar Leptoquarks in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 201802. arXiv: 1012.4031.
- [82] Vardan Khachatryan et al. “Search for Pair Production of Second-Generation Scalar Leptoquarks in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 201803. arXiv: 1012.4033.
- [83] Vardan Khachatryan et al. “Search for Stopped Gluinos in pp collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 106 (2011), p. 011801. arXiv: 1011.5861.
- [84] Vardan Khachatryan et al. “Search for Supersymmetry in pp Collisions at 7 TeV in Events with Jets and Missing Transverse Energy”. In: *Phys.Lett.* B698 (2011), pp. 196–218. arXiv: 1101.1628.
- [85] Vardan Khachatryan et al. “Strange Particle Production in pp Collisions at $\sqrt{s} = 0.9$ and 7 TeV”. In: *JHEP* 1105 (2011), p. 064. arXiv: 1102.4282.
- [86] M. Kornicer et al. “Measurements of branching fractions for electromagnetic transitions involving the $\chi_{bJ}(1P)$ states”. In: *Phys.Rev.* D83 (2011), p. 054003. arXiv: 1012.0589.
- [87] N. Lowrey et al. “Analysis of the Decay $D^0 \rightarrow K_S^0 \pi^0 \pi^0$ ”. In: *Phys.Rev.* D84 (2011), p. 092005. arXiv: 1106.3103.
- [88] J. Yelton et al. “Studies of $D^+ \rightarrow \eta', \eta, \phi e^+ \nu_e$ ”. In: *Phys.Rev.* D84 (2011), p. 032001. arXiv: 1011.1195.
- [89] J.P. Alexander et al. “Study of $\psi(2S)$ Decays to $\gamma p\bar{p}$, $\pi^0 p\bar{p}$ and $\eta p\bar{p}$ and Search for $p\bar{p}$ Threshold Enhancements”. In: *Phys.Rev.* D82 (2010), p. 092002. arXiv: 1007.2886.
- [90] D.M. Asner et al. “Measurement of absolute branching fractions of inclusive semileptonic decays of charm and charmed-strange mesons”. In: *Phys.Rev.* D81 (2010), p. 052007. arXiv: 0912.4232.
- [91] D. Besson et al. “Update of the measurement of the cross section for $e^+e^- \rightarrow \psi(3770) \rightarrow$ hadrons”. In: *Phys.Rev.Lett.* 104 (2010), p. 159901. arXiv: 1004.1358.
- [92] G. Bonvicini et al. “Measurement of the eta(b)(1S) mass and the branching fraction for Upsilon(3S) \rightarrow gamma eta(b)(1S)”. In: *Phys.Rev.* D81 (2010), p. 031104. arXiv: 0909.5474.

- [93] R.A. Briere et al. “Analysis of $D^+ \rightarrow K^- \pi^+ e^+ \nu_e$ and $D^+ \rightarrow K^- \pi^+ \mu^+ \nu_\mu$ Semileptonic Decays”. In: *Phys.Rev.* D81 (2010), p. 112001. arXiv: 1004.1954.
- [94] D. Cronin-Hennessy et al. “Search for $\psi(2S) \rightarrow \gamma \eta(c) (2S)$ via fully reconstructed $\eta(c)(2S)$ decays”. In: *Phys.Rev.* D81 (2010), p. 052002. arXiv: 0910.1324.
- [95] J. Insler et al. “Search for the Decay $J/\psi \rightarrow \gamma + \text{invisible}$ ”. In: *Phys.Rev.* D81 (2010), p. 091101. arXiv: 1003.0417.
- [96] Vardan Khachatryan et al. “CMS Tracking Performance Results from early LHC Operation”. In: *Eur.Phys.J.* C70 (2010), pp. 1165–1192. arXiv: 1007.1988.
- [97] Vardan Khachatryan et al. “First Measurement of the Underlying Event Activity at the LHC with $\sqrt{s} = 0.9$ TeV”. In: *Eur.Phys.J.* C70 (2010), pp. 555–572. arXiv: 1006.2083.
- [98] Vardan Khachatryan et al. “Measurement of Bose-Einstein correlations with first CMS data”. In: *Phys.Rev.Lett.* 105 (2010), p. 032001. arXiv: 1005.3294.
- [99] Vardan Khachatryan et al. “Measurement of the charge ratio of atmospheric muons with the CMS detector”. In: *Phys.Lett.* B692 (2010), pp. 83–104. arXiv: 1005.5332.
- [100] Vardan Khachatryan et al. “Observation of Long-Range Near-Side Angular Correlations in Proton-Proton Collisions at the LHC”. In: *JHEP* 1009 (2010), p. 091. arXiv: 1009.4122.
- [101] Vardan Khachatryan et al. “Search for Dijet Resonances in 7 TeV pp Collisions at CMS”. In: *Phys.Rev.Lett.* 105 (2010), p. 211801. arXiv: 1010.0203.
- [102] Vardan Khachatryan et al. “Search for Quark Compositeness with the Dijet Centrality Ratio in pp Collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 105 (2010), p. 262001. arXiv: 1010.4439.
- [103] Vardan Khachatryan et al. “Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 7$ TeV”. In: *Phys.Rev.Lett.* 105 (2010), p. 022002. arXiv: 1005.3299.
- [104] J. Libby et al. “Model-independent determination of the strong-phase difference between D^0 and $\bar{D}^0 \rightarrow K_{S,L}^0 h^+ h^-$ ($h = \pi, K$) and its impact on the measurement of the CKM angle γ/ϕ_3 ”. In: *Phys.Rev.* D82 (2010), p. 112006. arXiv: 1010.2817.
- [105] H. Mendez et al. “Measurements of D Meson Decays to Two Pseudoscalar Mesons”. In: *Phys.Rev.* D81 (2010), p. 052013. arXiv: 0906.3198.
- [106] P.U.E. Onyisi et al. “Branching fractions for $\chi_{cJ} \rightarrow p\bar{p}\pi^0, p\bar{p}\eta,$ and $p\bar{p}\omega$ ”. In: *Phys.Rev.* D82 (2010), p. 011103. arXiv: 1005.5374.
- [107] P. Rubin et al. “Search for rare and forbidden decays of charm and charmed-strange mesons to final states $h^+ - e^- + e^+$ ”. In: *Phys.Rev.* D82 (2010), p. 092007. arXiv: 1009.1606.
- [108] G.S. Adams et al. “Evidence for Decays of $h(c)$ to Multi-Pion Final States”. In: *Phys.Rev.* D80 (2009), p. 051106. arXiv: 0906.4470.
- [109] J.P. Alexander et al. “Measurement of $BD_s^+ \rightarrow \ell^+ \nu$ and the Decay Constant fD_s^+ From 600 $/pb^{-1}$ of e^\pm Annihilation Data Near 4170 MeV”. In: *Phys.Rev.* D79 (2009), p. 052001. arXiv: 0901.1216.
- [110] M. Artuso et al. “Higher-order multipole amplitudes in charmonium radiative transitions”. In: *Phys.Rev.* D80 (2009), p. 112003. arXiv: 0910.0046.
- [111] D.M. Asner et al. “New Measurement of Exclusive Decays of the $\chi(c0)$ and $\chi(c2)$ to Two-Meson Final States”. In: *Phys.Rev.* D79 (2009), p. 072007. arXiv: 0811.0586.
- [112] S.R. Bhari et al. “Improved Measurement of Branching Fractions for $\pi \pi$ Transitions among Upsilon(nS) States”. In: *Phys.Rev.* D79 (2009), p. 011103. arXiv: 0809.1110.

- [113] Roy A. Briere et al. “First model-independent determination of the relative strong phase between D^0 and anti- $D^0 \rightarrow K^0(S) \pi^+ \pi^-$ and its impact on the CKM Angle $\gamma/\phi(3)$ measurement”. In: *Phys.Rev.* D80 (2009), p. 032002. arXiv: 0903.1681.
- [114] D. Cronin-Hennessy et al. “Measurement of Charm Production Cross Sections in e^+e^- Annihilation at Energies between 3.97 and 4.26-GeV”. In: *Phys.Rev.* D80 (2009), p. 072001. arXiv: 0801.3418.
- [115] S. Dobbs et al. “Inclusive Hadron Yields from $D(s)^+$ Decays”. In: *Phys.Rev.* D79 (2009), p. 112008. arXiv: 0904.2417.
- [116] K.M. Ecklund et al. “Study of the semileptonic decay $D(s)^+ \rightarrow f_0(980)e^+\nu$ and implications for $B(s) \rightarrow J/\psi f(0)$ ”. In: *Phys.Rev.* D80 (2009), p. 052009. arXiv: 0907.3201.
- [117] J.Y. Ge et al. “ $D^+(s)$ Exclusive Hadronic Decays Involving ω ”. In: *Phys.Rev.* D80 (2009), p. 051102. arXiv: 0906.2138.
- [118] J.Y. Ge et al. “Study of $D^0 \rightarrow \pi^- e^+ \nu(e)$, $D^+ \rightarrow \pi^0 e^+ \nu(e)$, $D^0 \rightarrow K^- e^+ \nu(e)$, and $D^+ \rightarrow \text{anti-}K^0 e^+ \nu(e)$ in Tagged Decays of the $\psi(3770)$ Resonance”. In: *Phys.Rev.* D79 (2009), p. 052010. arXiv: 0810.3878.
- [119] J. Libby et al. “Inclusive Radiative $\psi(2S)$ Decays”. In: *Phys.Rev.* D80 (2009), p. 072002. arXiv: 0909.0193.
- [120] N. Lowrey et al. “Determination of the $D^0 \rightarrow K^- \pi^+ \pi^0$ and $D^0 \rightarrow K^- \pi^+ \pi^+ \pi^-$ Coherence Factors and Average Strong-Phase Differences Using Quantum-Correlated Measurements”. In: *Phys.Rev.* D80 (2009), p. 031105. arXiv: 0903.4853.
- [121] R.E. Mitchell et al. “Dalitz Plot Analysis of $D^+(s) \rightarrow K^+ K^- \pi^+$ ”. In: *Phys.Rev.* D79 (2009), p. 072008. arXiv: 0903.1301.
- [122] R.E. Mitchell et al. “ J/ψ and $\psi(2S)$ Radiative Decays to $\eta(c)$ ”. In: *Phys.Rev.Lett.* 102 (2009), p. 011801. arXiv: 0805.0252.
- [123] R.E. Mitchell et al. “Observation of $D^+ \rightarrow \eta e^+ \nu(e)$ ”. In: *Phys.Rev.Lett.* 102 (2009), p. 081801. arXiv: 0802.4222.
- [124] P. Naik et al. “Measurement of the Pseudoscalar Decay Constant $f(D(s))$ Using $D(s)^+ \rightarrow \tau^+ \nu, \tau^+ \rightarrow \rho^+ \bar{n} u$ Decays”. In: *Phys.Rev.* D80 (2009), p. 112004. arXiv: 0910.3602.
- [125] P. Naik et al. “Observation of η' decays to $\pi^+ \pi^- \pi^0$ and $\pi^+ \pi^- e^+ e^-$ ”. In: *Phys.Rev.Lett.* 102 (2009), p. 061801. arXiv: 0809.2587.
- [126] P.U.E. Onyisi et al. “Improved Measurement of Absolute Branching Fraction of $D(s)^+ \rightarrow \tau^+ \nu(\tau)$ ”. In: *Phys.Rev.* D79 (2009), p. 052002. arXiv: 0901.1147.
- [127] T.K. Pedlar et al. “Charmonium decays to $\gamma \pi^0$, $\gamma \eta$, and $\gamma \eta'$ ”. In: *Phys.Rev.* D79 (2009), p. 111101. arXiv: 0904.1394.
- [128] P. Rubin et al. “Search for $D^0 \rightarrow \bar{p} e^+$ and $D^0 \rightarrow p e^-$ ”. In: *Phys.Rev.* D79 (2009), p. 097101. arXiv: 0904.1619.
- [129] J. Yelton et al. “Absolute Branching Fraction Measurements for Exclusive $D(s)$ Semileptonic Decays”. In: *Phys.Rev.* D80 (2009), p. 052007. arXiv: 0903.0601.
- [130] G.S. Adams et al. “Observation of $J/\psi \rightarrow 3 \gamma$ ”. In: *Phys.Rev.Lett.* 101 (2008), p. 101801. arXiv: 0806.0671.
- [131] J.P. Alexander et al. “Absolute Measurement of Hadronic Branching Fractions of the $D(s)^+$ Meson”. In: *Phys.Rev.Lett.* 100 (2008), p. 161804. arXiv: 0801.0680.
- [132] M. Artuso et al. “Measurement of exclusive D meson decays to η and η' final states and $SU(3)$ amplitude analysis”. In: *Phys.Rev.* D77 (2008), p. 092003. arXiv: 0802.2664.

- [133] D.M. Asner et al. “Observation of $\chi(b)(1P(J),2P(J))$ decays to light hadrons”. In: *Phys.Rev.* D78 (2008), p. 091103. arXiv: 0808.0933.
- [134] David Mark Asner et al. “Determination of the $D^0 \rightarrow K^+\pi^-$ Relative Strong Phase Using Quantum-Correlated Measurements in $e^+e^- \rightarrow D^0\bar{D}^0$ bar at CLEO”. In: *Phys.Rev.* D78 (2008), p. 012001. arXiv: 0802.2268.
- [135] S.B. Athar et al. “First Observation of the Decay $D(s)^+ \rightarrow p$ anti- n ”. In: *Phys.Rev.Lett.* 100 (2008), p. 181802. arXiv: 0803.1118.
- [136] J.V. Bennett et al. “Observation of $\chi(cJ)$ radiative decays to light vector mesons”. In: *Phys.Rev.Lett.* 101 (2008), p. 151801. arXiv: 0807.3718.
- [137] D. Besson et al. “Inclusive Radiative J/ψ Decays”. In: *Phys.Rev.* D78 (2008), p. 032012. arXiv: 0806.0315.
- [138] G. Bonvicini et al. “Absolute Branching Fractions of Cabibbo-Suppressed $D \rightarrow K$ anti- K Decays”. In: *Phys.Rev.* D77 (2008), p. 091106. arXiv: 0803.0793.
- [139] G. Bonvicini et al. “Dalitz plot analysis of the $D^+ \rightarrow K^- \pi^+ \pi^+$ decay”. In: *Phys.Rev.* D78 (2008), p. 052001. arXiv: 0802.4214.
- [140] Roy A. Briere et al. “Inclusive $\chi(bJ)(nP)$ Decays to $D^0 X$ ”. In: *Phys.Rev.* D78 (2008), p. 092007. arXiv: 0807.3757.
- [141] D. Cronin-Hennessy et al. “A Study of the decays $D^0 \rightarrow \pi^- e^+ \nu(e)$, $D^0 \rightarrow K^- e^+ \nu(e)$, $D^+ \rightarrow \pi^0 e^+ \nu(e)$, and $D^+ \rightarrow \text{anti-}K^0 e^+ \nu(e)$ ”. In: *Phys.Rev.Lett.* 100 (2008), p. 251802. arXiv: 0712.0998.
- [142] S. Dobbs et al. “A Study of the semileptonic charm decays $D^0 \rightarrow \pi^- e^+ \nu(e)$, $D^+ \rightarrow \pi^0 e^+ \nu(e)$, $D^0 \rightarrow K^- e^+ \nu(e)$, and $D^+ \rightarrow \text{anti-}K^0 e^+ \nu(e)$ ”. In: *Phys.Rev.* D77 (2008), p. 112005. arXiv: 0712.1020.
- [143] S. Dobbs et al. “Precision Measurement of the Mass of the $h(c)(P-1(1))$ State of Charmonium”. In: *Phys.Rev.Lett.* 101 (2008), p. 182003. arXiv: 0805.4599.
- [144] K.M. Ecklund et al. “Measurement of the absolute branching fraction of $D(s)^+ \rightarrow \tau^+ \nu(\tau)$ decay”. In: *Phys.Rev.Lett.* 100 (2008), p. 161801. arXiv: 0712.1175.
- [145] K.M. Ecklund et al. “Two-Photon Widths of the $\chi(cJ)$ States of Charmonium”. In: *Phys.Rev.* D78 (2008), p. 091501. arXiv: 0803.2869.
- [146] B.I. Eisenstein et al. “Precision Measurement of $B(D^+ \rightarrow \mu^+ \nu)$ and the Pseudoscalar Decay Constant $f(D^+)$ ”. In: *Phys.Rev.* D78 (2008), p. 052003. arXiv: 0806.2112.
- [147] Q. He et al. “Comparison of $D \rightarrow K^0(S) \pi$ and $D \rightarrow K^0(L) \pi$ Decay Rates”. In: *Phys.Rev.Lett.* 100 (2008), p. 091801. arXiv: 0711.1463.
- [148] Q. He et al. “First Observation of Exclusive $\chi(cJ)$ Decays to Two Charged and Two Neutral Hadrons”. In: *Phys.Rev.* D78 (2008), p. 092004. arXiv: 0806.1227.
- [149] Q. He et al. “Observation of $\text{Upsilon}(2S) \rightarrow \eta \text{Upsilon}(1S)$ and search for related transitions”. In: *Phys.Rev.Lett.* 101 (2008), p. 192001. arXiv: 0806.3027.
- [150] J. Libby et al. “Measurement of the eta-prime-meson mass using $J/\psi \rightarrow \gamma \eta\text{-prime}$ ”. In: *Phys.Rev.Lett.* 101 (2008), p. 182002. arXiv: 0806.2344.
- [151] W. Love et al. “Search for Lepton Flavor Violation in Upsilon Decays”. In: *Phys.Rev.Lett.* 101 (2008), p. 201601. arXiv: 0807.2695.
- [152] W. Love et al. “Search for Very Light CP-Odd Higgs Boson in Radiative Decays of Upsilon(S-1)”. In: *Phys.Rev.Lett.* 101 (2008), p. 151802. arXiv: 0807.1427.

- [153] H. Mendez et al. “Branching Fractions for Transitions of $\psi(2S)$ to J/ψ ”. In: *Phys.Rev.* D78 (2008), p. 011102. arXiv: 0804.4432.
- [154] P. Naik et al. “Measurement of exclusive baryon-antibaryon decays of χ_{cJ} mesons”. In: *Phys.Rev.* D78 (2008), p. 031101. arXiv: 0806.1715.
- [155] J.L. Rosner et al. “Determination of the Strong Phase in $D^0 \rightarrow K^+\pi^-$ Using Quantum-Correlated Measurements”. In: *Phys.Rev.Lett.* 100 (2008), p. 221801. arXiv: 0802.2264.
- [156] P. Rubin et al. “Search for CP Violation in the Dalitz-Plot Analysis of $D^{+-} \rightarrow K^+ K^- \pi^{+-}$ ”. In: *Phys.Rev.* D78 (2008), p. 072003. arXiv: 0807.4545.
- [157] N.E. Adam et al. “A Study of Exclusive Charmless Semileptonic B Decay and $|V(\text{ub})|$ ”. In: *Phys.Rev.Lett.* 99 (2007), p. 041802. arXiv: hep-ex/0703041.
- [158] G.S. Adams et al. “ $\chi(c0)$ and $\chi(c2)$ Decays into η η , η η' , and η' η' Final States”. In: *Phys.Rev.* D75 (2007), p. 071101. arXiv: hep-ex/0611013.
- [159] G.S. Adams et al. “Suppressed Decays of $D(s)^+$ Mesons to Two Pseudoscalar Mesons”. In: *Phys.Rev.Lett.* 99 (2007), p. 191805. arXiv: 0708.0139.
- [160] M. Artuso et al. “Evidence for the decay $D^0 \rightarrow K^- \pi^+ \pi^- e^+ \nu(e)$ ”. In: *Phys.Rev.Lett.* 99 (2007), p. 191801. arXiv: 0705.4276.
- [161] M. Artuso et al. “Measurement of the decay constant $f(D_S^+)$ using $D_S^+ \rightarrow \ell^+ \nu$ ”. In: *Phys.Rev.Lett.* 99 (2007), p. 071802. arXiv: 0704.0629.
- [162] D.M. Asner et al. “Anti-deuteron production in $\Upsilon(nS)$ decays and the nearby continuum”. In: *Phys.Rev.* D75 (2007), p. 012009. arXiv: hep-ex/0612019.
- [163] S.B. Athar et al. “ χ_{cJ} Decays to $h^+ h^- h^0$ ”. In: *Phys.Rev.* D75 (2007), p. 032002. arXiv: hep-ex/0611032.
- [164] S.B. Athar et al. “Search for radiative decays of $\Upsilon(1S)$ into η and η' ”. In: *Phys.Rev.* D76 (2007), p. 072003. arXiv: 0704.3063.
- [165] D. Besson et al. “First Observation of $\Upsilon(3S) \rightarrow \tau^+ \tau^-$ and Tests of Lepton Universality in Υ Decays”. In: *Phys.Rev.Lett.* 98 (2007), p. 052002. arXiv: hep-ex/0607019.
- [166] D. Besson et al. “Measurement of the Total Hadronic Cross Section in e^+e^- Annihilations below 10.56-GeV”. In: *Phys.Rev.* D76 (2007), p. 072008. arXiv: 0706.2813.
- [167] D. Besson et al. “Radiative decays of the $\Upsilon(1S)$ to $\gamma \pi^0 \pi^0$, $\gamma \eta \eta$ and $\gamma \pi^0 \eta$ ”. In: *Phys.Rev.* D75 (2007), p. 072001. arXiv: hep-ex/0512003.
- [168] G. Bonvicini et al. “Dalitz plot analysis of the $D^+ \rightarrow K^- \pi^+ \pi^+$ decay”. In: (2007). arXiv: 0707.3060.
- [169] G. Bonvicini et al. “Dalitz plot analysis of the $D^+ \rightarrow \pi^- \pi^+ \pi^+$ decay”. In: *Phys.Rev.* D76 (2007), p. 012001. arXiv: 0704.3954.
- [170] Roy A. Briere et al. “Comparison of particle production in quark and gluon fragmentation at $s^{*(1/2)} \sim 10\text{-GeV}$ ”. In: *Phys.Rev.* D76 (2007), p. 012005. arXiv: 0704.2766.
- [171] C. Cawthfield et al. “A Precision Determination of the D^0 Mass”. In: *Phys.Rev.Lett.* 98 (2007), p. 092002. arXiv: hep-ex/0701016.
- [172] D. Cronin-Hennessy et al. “Study of di-pion transitions among $\Upsilon(3S)$, $\Upsilon(2S)$, and $\Upsilon(1S)$ states”. In: *Phys.Rev.* D76 (2007), p. 072001. arXiv: 0706.2317.
- [173] S. Dobbs et al. “Measurement of absolute hadronic branching fractions of D mesons and $e^+e^- \rightarrow D \text{ anti-}D$ cross-sections at the $\psi(3770)$ ”. In: *Phys.Rev.* D76 (2007), p. 112001. arXiv: 0709.3783.

- [174] R. Gray et al. “A Study of Exclusive Charmless Semileptonic B Decays and Extraction of $|V(\text{ub})|$ at CLEO”. In: *Phys.Rev.* D76 (2007), p. 012007. arXiv: [hep-ex/0703042](#).
- [175] G.S. Huang et al. “Measurement of $B(\text{Upsilon}(5\text{S}) \rightarrow B^{(*)}(\text{s}) \text{ anti-}B^{(*)}(\text{s}))$ Using phi Mesons”. In: *Phys.Rev.* D75 (2007), p. 012002. arXiv: [hep-ex/0610035](#).
- [176] A. Lopez et al. “Measurement of Prominent eta Decay Branching Fractions”. In: *Phys.Rev.Lett.* 99 (2007), p. 122001. arXiv: [0707.1601](#).
- [177] David Harry Miller et al. “Measurement of the eta-Meson Mass using $\text{psi}(2\text{S}) \rightarrow \text{eta J}/\text{psi}$ ”. In: *Phys.Rev.Lett.* 99 (2007), p. 122002. arXiv: [0707.1810](#).
- [178] T.K. Pedlar et al. “Measurement of $B(D_S^+) \rightarrow \ell^+ \nu$ and the decay constant $f(D_S^+)$ ”. In: *Phys.Rev.* D76 (2007), p. 072002. arXiv: [0704.0437](#).
- [179] T.K. Pedlar et al. “Search for $\text{psi}(2\text{S}) \rightarrow \text{eta}(c) \text{ pi}^+ \text{ pi}^- \text{ pi}^0$ ”. In: *Phys.Rev.* D75 (2007), p. 011102.
- [180] J.L. Rosner et al. “Measurement of upper limits for $\text{Upsilon} \rightarrow \text{gamma} + \text{R}$ decays”. In: *Phys.Rev.* D76 (2007), p. 117102. arXiv: [0704.2773](#).
- [181] P. Rubin et al. “Search for Invisible Decays of the $\text{Upsilon}(1\text{S})$ Resonance”. In: *Phys.Rev.* D75 (2007), p. 031104. arXiv: [hep-ex/0612051](#).
- [182] N.E. Adam et al. “Absolute Branching Fraction Measurements for D^+ and D^0 Inclusive Semileptonic Decays”. In: *Phys.Rev.Lett.* 97 (2006), p. 251801. arXiv: [hep-ex/0604044](#).
- [183] N.E. Adam et al. “Measurement of Absolute Hadronic Branching Fractions of $D(\text{s})$ Mesons”. In: (2006). arXiv: [hep-ex/0607079](#).
- [184] N.E. Adam et al. “Observation of $\text{psi}(3770) \rightarrow \text{pi pi J}/\text{psi}$ and measurement of $\text{Gamma}(\text{ee})[\text{psi}(2\text{S})]$ ”. In: *Phys.Rev.Lett.* 96 (2006), p. 082004. arXiv: [hep-ex/0508023](#).
- [185] G.S. Adams et al. “Decay of the $\text{psi}(3770)$ to light hadrons”. In: *Phys.Rev.* D73 (2006), p. 012002. arXiv: [hep-ex/0509011](#).
- [186] G.S. Adams et al. “Measurement of $\text{Gamma}(\text{ee})(\text{J}/\text{psi})$, $\text{Gamma}(\text{tot})(\text{J}/\text{psi})$, and $\text{Gamma}(\text{ee})[\text{psi}(2\text{S})] / \text{Gamma}(\text{ee})(\text{J}/\text{psi})$ ”. In: *Phys.Rev.* D73 (2006), p. 051103. arXiv: [hep-ex/0512046](#).
- [187] O. Aquines et al. “First measurements of the exclusive decays of the $\text{upsilon}(5\text{S})$ to B meson final states and improved $B^*(\text{S})$ mass measurement”. In: *Phys.Rev.Lett.* 96 (2006), p. 152001. arXiv: [hep-ex/0601044](#).
- [188] O. Aquines et al. “Improved Measurement of the Branching Fraction and Energy Spectrum of eta-prime from $\text{Upsilon}(1\text{S})$ Decays”. In: *Phys.Rev.* D74 (2006), p. 092006. arXiv: [hep-ex/0610032](#).
- [189] O. Aquines et al. “Improved Measurement of the Branching Fraction and Energy Spectrum of eta-prime from $\text{Upsilon}(1\text{S})$ Decays”. In: (2006). arXiv: [hep-ex/0607056](#).
- [190] M. Artuso et al. “Measurement of $D(\text{s})^+ \rightarrow \text{mu}^+ \text{ nu}$ and the decay constant $f(D(\text{s}))$ ”. In: (2006). arXiv: [hep-ex/0607074](#).
- [191] D.M. Asner et al. “ D^0 anti- D^0 Quantum Correlations, Mixing, and Strong Phases”. In: *Int.J.Mod.Phys.* A21 (2006), pp. 5456–5459. arXiv: [hep-ex/0607078](#).
- [192] S.B. Athar et al. “ χ_{cJ} Decays to $h^+ h^- h^0$ ”. In: (2006). arXiv: [hep-ex/0607072](#).
- [193] S.B. Athar et al. “Radiative decays of the $\text{upsilon}(1\text{S})$ to a pair of charged hadrons”. In: *Phys.Rev.* D73 (2006), p. 032001. arXiv: [hep-ex/0510015](#).
- [194] D. Besson et al. “Measurement of $\text{sigma}(\text{e}^+ \text{e}^- \rightarrow \text{psi}(3770) \rightarrow \text{hadrons})$ at $E(\text{cm}) = 3773$ MeV”. In: *Phys.Rev.Lett.* 96 (2006), p. 092002. arXiv: [hep-ex/0512038](#).

- [195] D. Besson et al. “Measurement of the direct photon momentum spectrum in $\text{upsilon}(1S)$, $\text{upsilon}(2S)$, and $\text{upsilon}(3S)$ decays”. In: *Phys.Rev.* D74 (2006), p. 012003. arXiv: [hep-ex/0512061](#).
- [196] G. Bonvicini et al. “Dalitz analysis of $D^+ \rightarrow \pi^+ \pi^- \pi^+$ ”. In: (2006). arXiv: [hep-ex/0607069](#).
- [197] G. Bonvicini et al. “Observation of $B^*(s)$ anti- $B^*(s)$ production at the $\text{upsilon}(5S)$ resonance”. In: *Phys.Rev.Lett.* 96 (2006), p. 022002. arXiv: [hep-ex/0510034](#).
- [198] R.A. Briere et al. “Observation of $\text{psi}(3770) \rightarrow \text{gamma } \chi(c)0$ ”. In: *Phys.Rev.* D74 (2006), p. 031106. arXiv: [hep-ex/0605070](#).
- [199] Roy A. Briere et al. “Study of Particle Production in Quark vs. Gluon Fragmentation at $s^{**}(1/2) \sim 10\text{-GeV}$ ”. In: (2006). arXiv: [hep-ex/0607052](#).
- [200] C. Cawlfeld et al. “Experimental study of $\chi(b)(2P) \rightarrow \pi \pi \chi(b)(1P)$ ”. In: *Phys.Rev.* D73 (2006), p. 012003. arXiv: [hep-ex/0511019](#).
- [201] C. Cawlfeld et al. “Measurement of interfering $K^+ K^-$ and $K^* K^+$ amplitudes in the decay $D0 \rightarrow K^+ K^- \pi0$ ”. In: *Phys.Rev.* D74 (2006), p. 031108. arXiv: [hep-ex/0606045](#).
- [202] T.E. Coan et al. “Charmonium decays of $Y(4260)$, $\text{psi}(4160)$ and $\text{psi}(4040)$ ”. In: *Phys.Rev.Lett.* 96 (2006), p. 162003. arXiv: [hep-ex/0602034](#).
- [203] T.E. Coan et al. “First observation of $\text{psi}(3770) \rightarrow \text{gamma } \chi(c1) \rightarrow \text{gamma } \text{gamma } J/\text{psi}$ ”. In: *Phys.Rev.Lett.* 96 (2006), p. 182002. arXiv: [hep-ex/0509030](#).
- [204] D. Cronin-Hennessy et al. “Search for the non-D anti-D decay $\text{psi}(3770) \rightarrow K0(S) K0(L)$ ”. In: *Phys.Rev.* D74 (2006), p. 012005. arXiv: [hep-ex/0603026](#).
- [205] S. Dobbs et al. “Measurement of interference between electromagnetic and strong amplitudes in $\text{psi}(2S)$ decays to two pseudoscalar mesons”. In: *Phys.Rev.* D74 (2006), p. 011105. arXiv: [hep-ex/0603020](#).
- [206] S. Dobbs et al. “Two photon width of $\chi(c2)$ ”. In: *Phys.Rev.* D73 (2006), p. 071101. arXiv: [hep-ex/0510033](#).
- [207] S.A. Dytman et al. “Branching Fraction for the Doubly-Cabibbo-Suppressed Decay $D^+ \rightarrow K^+ \pi0$ ”. In: *Phys.Rev.* D74 (2006), p. 071102. arXiv: [hep-ex/0609008](#).
- [208] S.A. Dytman et al. “Branching fraction for the doubly-Cabibbo-suppressed decay $D^+ \rightarrow K^+ \pi0$ ”. In: (2006). arXiv: [hep-ex/0607075](#).
- [209] Q. He et al. “Comparison of $D \rightarrow K0(L) \pi$ and $D \rightarrow K0(S) \pi$ decay rates”. In: (2006). arXiv: [hep-ex/0607068](#).
- [210] Q. He et al. “Confirmation of the $Y(4260)$ resonance production in ISR”. In: *Phys.Rev.* D74 (2006), p. 091104. arXiv: [hep-ex/0611021](#).
- [211] G.S. Huang et al. “Measurement of $B(\text{Upsilon}(5S) \rightarrow B^*(s) \text{ anti-}B^*(s))$ Using ϕ Mesons”. In: (2006). arXiv: [hep-ex/0607080](#).
- [212] G.S. Huang et al. “Measurement of inclusive production of η , η -prime and ϕ mesons in $D0$, D^+ and $D(s)^+$ decays”. In: *Phys.Rev.* D74 (2006), p. 112005. arXiv: [hep-ex/0610008](#).
- [213] G.S. Huang et al. “Search for exclusive multi-body non-D anti-D decays at the $\text{psi}(3770)$ ”. In: *Phys.Rev.Lett.* 96 (2006), p. 032003. arXiv: [hep-ex/0509046](#).
- [214] T.K. Pedlar et al. “Search for $\text{psi}(2S) \rightarrow \eta(c) \pi^+ \pi^- \pi0$ ”. In: *Phys.Rev.D* (2006). arXiv: [hep-ex/0611027](#).
- [215] J.L. Rosner et al. “Di-electron widths of the $\text{Upsilon}(1S,2S,3S)$ resonances”. In: *Phys.Rev.Lett.* 96 (2006), p. 092003. arXiv: [hep-ex/0512056](#).

- [216] J.L. Rosner et al. “Experimental limits on weak annihilation contributions to $B \rightarrow u l \nu$ decay”. In: *Phys.Rev.Lett.* 96 (2006), p. 121801. arXiv: [hep-ex/0601027](#).
- [217] J.L. Rosner et al. “Measurement of Upper Limits for Upsilon \rightarrow gamma + Resonance Decays”. In: (2006). arXiv: [hep-ex/0607054](#).
- [218] P. Rubin et al. “An Investigation of $D^+ \rightarrow \tau^+ \nu$ ”. In: *Phys.Rev.* D73 (2006), p. 112005. arXiv: [hep-ex/0604043](#).
- [219] P. Rubin et al. “New measurements of Cabibbo-suppressed decays of D mesons in CLEO-c”. In: *Phys.Rev.Lett.* 96 (2006), p. 081802. arXiv: [hep-ex/0512063](#).
- [220] M.R. Shepherd et al. “Model independent measurement of form-factors in the decay $D^+ \rightarrow K^- \pi^+ e^+ \nu(e)$ ”. In: *Phys.Rev.* D74 (2006), p. 052001. arXiv: [hep-ex/0606010](#).
- [221] N.E. Adam et al. “Branching fractions for psi(2S) to J/psi transitions”. In: *Phys.Rev.Lett.* 94 (2005), p. 232002. arXiv: [hep-ex/0503028](#).
- [222] N.E. Adam et al. “Observation of 1-0- final states from psi(2S) decays and $e^+ e^-$ annihilation”. In: *Phys.Rev.Lett.* 94 (2005), p. 012005. arXiv: [hep-ex/0407028](#).
- [223] G.S. Adams et al. “Measurement of the muonic branching fractions of the narrow Upsilon resonances”. In: *Phys.Rev.Lett.* 94 (2005), p. 012001. arXiv: [hep-ex/0409027](#).
- [224] R. Ahohe et al. “The Search for $\eta(1440) \rightarrow K_0(S) K^+ \pi^-$ in two-photon fusion at CLEO”. In: *Phys.Rev.* D71 (2005), p. 072001. arXiv: [hep-ex/0501026](#).
- [225] Kregg E. Arms et al. “Study of tau decays to four-hadron final states with kaons”. In: *Phys.Rev.Lett.* 94 (2005), p. 241802. arXiv: [hep-ex/0501042](#).
- [226] M. Artuso et al. “First evidence and measurement of $B(s)^* \text{ anti-}B(s)^*$ production at the Upsilon(5S)”. In: *Phys.Rev.Lett.* 95 (2005), p. 261801. arXiv: [hep-ex/0508047](#).
- [227] M. Artuso et al. “Improved measurement of $B(D^+ \rightarrow \mu^+ \nu)$ and the pseudoscalar decay constant $f(D^+)$ ”. In: *Phys.Rev.Lett.* 95 (2005), p. 251801. arXiv: [hep-ex/0508057](#).
- [228] M. Artuso et al. “Photon transitions in Upsilon(2S) and Upsilon(3S) decays”. In: *Phys.Rev.Lett.* 94 (2005), p. 032001. arXiv: [hep-ex/0411068](#).
- [229] D.M. Asner et al. “Search for $D_0^- \text{ anti-}D_0^+$ mixing in the Dalitz plot analysis of $D_0 \rightarrow K_0(S) \pi^+ \pi^-$ ”. In: *Phys.Rev.* D72 (2005), p. 012001. arXiv: [hep-ex/0503045](#).
- [230] S.B. Athar et al. “A New measurement of the masses and widths of the $\Sigma^{*++}(c)$ and $\Sigma^{*0}(c)$ charmed baryons”. In: *Phys.Rev.* D71 (2005), p. 051101. arXiv: [hep-ex/0410088](#).
- [231] D. Besson et al. “Search for $e^+ e^- \rightarrow \Lambda_0(b) \text{ anti-}\Lambda_0(b)$ near threshold”. In: *Phys.Rev.* D71 (2005), p. 012004. arXiv: [hep-ex/0411078](#).
- [232] Roy A. Briere et al. “Observation of thirteen new exclusive multi-body hadronic decays of the psi(2S)”. In: *Phys.Rev.Lett.* 95 (2005), p. 062001. arXiv: [hep-ex/0505101](#).
- [233] C. and Cawlfeld. “Limits on neutral D mixing in semileptonic decays”. In: *Phys.Rev.* D71 (2005), p. 077101. arXiv: [hep-ex/0502012](#).
- [234] T.E. Coan et al. “Absolute branching fraction measurements of exclusive D_0 semileptonic decays”. In: *Phys.Rev.Lett.* 95 (2005), p. 181802. arXiv: [hep-ex/0506052](#).
- [235] D. Cronin-Hennessy et al. “Searches for CP violation and $\pi^+ \pi^-$ S-wave in the Dalitz-Plot of $D_0 \rightarrow \pi^+ \pi^- \pi^0$ ”. In: *Phys.Rev.* D72 (2005), p. 031102. arXiv: [hep-ex/0503052](#).
- [236] S. Dobbs et al. “Search for X(3872) in gamma gamma fusion and ISR at CLEO”. In: *Phys.Rev.Lett.* 94 (2005), p. 032004. arXiv: [hep-ex/0410038](#).

- [237] R. Gray et al. “Measuring mass and cross section parameters at a focus point region”. In: *Proceedings of the 2005 International Linear Collider Workshop* (2005), p. 0711. arXiv: [hep-ex/0507008](#).
- [238] Q. He et al. “Measurement of absolute hadronic branching fractions of D mesons and $e^+e^- \rightarrow D$ anti-D cross sections at $E(\text{cm}) = 3773\text{-MeV}$ ”. In: *Phys.Rev.Lett.* 95 (2005), p. 121801. arXiv: [hep-ex/0504003](#).
- [239] Q. He et al. “Search for rare and forbidden decays $D^+ \rightarrow h^{+-} e^+ e^+$ ”. In: *Phys.Rev.Lett.* 95 (2005), p. 221802. arXiv: [hep-ex/0508031](#).
- [240] G.S. Huang et al. “Absolute branching fraction measurements of exclusive D^+ semileptonic decays”. In: *Phys.Rev.Lett.* 95 (2005), p. 181801. arXiv: [hep-ex/0506053](#).
- [241] G.S. Huang et al. “Study of semileptonic charm decays $D_0 \rightarrow \pi^- l^+ \nu$ and $D_0 \rightarrow K^- l^+ \nu$ ”. In: *Phys.Rev.Lett.* 94 (2005), p. 011802. arXiv: [hep-ex/0407035](#).
- [242] Z. Li et al. “Measurement of the branching fractions for $J/\psi \rightarrow l^+ l^-$ ”. In: *Phys.Rev.* D71 (2005), p. 111103. arXiv: [hep-ex/0503027](#).
- [243] T.K. Pedlar et al. “Branching fraction measurements of $\psi(2S)$ decay to baryon-antibaryon final states”. In: *Phys.Rev.* D72 (2005), p. 051108. arXiv: [hep-ex/0505057](#).
- [244] T.K. Pedlar et al. “Precision measurements of the timelike electromagnetic form-factors of pion, kaon, and proton”. In: *Phys.Rev.Lett.* 95 (2005), p. 261803. arXiv: [hep-ex/0510005](#).
- [245] J.L. Rosner et al. “Observation of $h(c)(P(1)-1)$ state of charmonium”. In: *Phys.Rev.Lett.* 95 (2005), p. 102003. arXiv: [hep-ex/0505073](#).
- [246] P. Rubin et al. “Observation of the $P(1)-1$ state of charmonium”. In: *Phys.Rev.* D72 (2005), p. 092004. arXiv: [hep-ex/0508037](#).
- [247] G.S. Adams et al. “Measurement of the muonic branching fraction of the narrow upilon resonances at CLEO”. In: (2004). arXiv: [hep-ex/0408010](#).
- [248] D.M. Asner et al. “Evidence for $B^{(*)}(s)$ anti- $B^{(*)}(s)$ production at the Upsilon(5S)*”. In: (2004). arXiv: [hep-ex/0408070](#).
- [249] S.B. Athar et al. “Photon transitions in $\psi(2S)$ decays to $\chi(cJ)$ (1P) and $\eta(c)$ (1S)”. In: *Phys.Rev.* D70 (2004), p. 112002. arXiv: [hep-ex/0408133](#).
- [250] D. Besson et al. “Measurement of $B(D^+ \rightarrow \mu^+ \nu)$ and the pseudoscalar decay constant $f(D^+)^{**}$ ”. In: (2004). arXiv: [hep-ex/0408071](#).
- [251] G. Bonvicini et al. “Measuring $B(D^+ \rightarrow \mu^+ \nu)$ and the pseudoscalar decay constant $f(D^+)$ ”. In: *Phys.Rev.* D70 (2004), p. 112004. arXiv: [hep-ex/0411050](#).
- [252] A. Bornheim et al. “Search for the lepton-flavor-violating leptonic B decays $B_0 \rightarrow \mu^+ \tau^-$ and $B_0 \rightarrow e^+ \tau^-$ ”. In: *Phys.Rev.Lett.* 93 (2004), p. 241802. arXiv: [hep-ex/0408011](#).
- [253] Roy A. Briere et al. “New measurements of v_{1S} decays to charmonium final states”. In: *Phys.Rev.* D70 (2004), p. 072001. arXiv: [hep-ex/0407030](#).
- [254] Bob I. Eisenstein et al. “Hadronic branching fractions of D_0 and D^+ , and $\sigma(e^+e^- \rightarrow D$ anti-D) at $E(\text{cm}) = 3.77\text{-GeV}$ ”. In: (2004). arXiv: [hep-ex/0408055](#).
- [255] K.Y. Gao et al. “First CLEO-c results on exclusive D_0 semileptonic decays”. In: (2004). arXiv: [hep-ex/0408077](#).
- [256] Z. Metreveli et al. “Search for $X(3872)$ in untagged $\gamma\gamma$ fusion and initial state radiation production with CLEO III”. In: (2004). arXiv: [hep-ex/0408057](#).
- [257] P. Rubin et al. “First observation and Dalitz analysis of the $D_0 \rightarrow K_0(S) \eta \pi^0$ decay”. In: *Phys.Rev.Lett.* 93 (2004), p. 111801. arXiv: [hep-ex/0405011](#).